

No matter how demanding the working environment is...



our closed, flexible containers ensure that your lubricants
and greases remain clean and fresh to the very last drop.

FLUID-BAG



Fluid-Bag for lubricants and greases

- ✓ Keeps your lubes and greases clean while preserving product quality.
- ✓ As safe and reliable as a rigid container but with many added advantages and cost savings.
- ✓ Use all the lubricant you pay for.
- ✓ Simplifies handling and transport and reduces storage space.



▲ **FLEXI** designed for one-way and long distance transport.
1000 and 900 lt.



▲ **MULTI** designed for frequent and short distance transport.
1000 and 900 lt.



and many more... We know how!



Why Fluid-Bag instead of the traditional way?

The list to the right shows the improvements that a "typical" Fluid-Bag System can bring on a yearly basis.

The figures are based on examples from our customers' experiences.



0 return freight



80% less residual waste



75% less plant service & maintenance costs




75% less downtime or emergency shutdown costs



11% increase in payload of transported material (compared to 200 l drums in a 20 ft container)

1



(optional stacking frame)


Working steps with Fluid-Bag's one-way distribution system

1. Assembly - easy assembly of pallet, transport bag and inner container.


2. Filling - fill the Fluid-Bag from top or bottom.

3. Handling - made easy; the Fluid-Bag can be fork lifted from all four sides even with hand trucks.


2



3




4



Working steps with Fluid-Bag's one-way distribution system


4. Transportation – by road, rail and sea, the 900 l version can be stacked two high in standard 20 ft containers.

5



5. Discharge – connect to a pump and stretch the Fluid-Bag for optimum discharge results. For more viscous products a Discharge Roller can be used. Fluid-Bag can easily be connected to an existing drum pump.

6



6. Recycle – all components of the Fluid-Bag Flexi are recyclable or disposable, no return freights.




The right equipment for great results

The semi-automatic Discharge Roller is designed to empty both 900 and 1000 litre Fluid-Bags.

The device is specifically developed for rational and efficient discharge of high-viscosity greases. It cleans the inside of the container foil, which combined with the vacuum created by a pump empties the container.

It is also well suitable as a central lubrication centre distributing grease.



Fluid-Bag Ltd.

a Finnish company

which since the 80's has provided 900 and 1000 litre flexible container systems, perfectly suited for sensitive and high-viscous liquids, pastes and semi-solids.

Fluid-Bag's containers are successfully used by major international players.

They can be used to transport products such as greases, oils, lubricants and other types of water-based liquid and semi-solid products.

WE LOOK FORWARD TO MEETING YOU!



Fluid-Bag Ltd. Bottenviksvägen 54-56 68600 Jakobstad Finland

Tel. +358 20 779 0444 • Fax +358 20 779 0445 • office@fluid-bag.com • www.fluid-bag.com